


Product Family of Harsh Industrial Process


- Gauge Head
- Display
- Power
- Protection
- Cooling
- Alarm & Report



CABLE	LENGTH	PART NUMBER	DESCRIPTION
	10m	00053CF001	BT42HD_010m Cable
	20m	00053CF002	BT42HD_020m Cable
	40m	00053CF003	BT42HD_040m Cable
	60m	00053CF004	BT42HD_060m Cable

UNCURBED TOLERANCES: ANGULAR X. ±0.20mm ±15' .0 ±0.10mm .00 ±0.05mm .000 ±0.02mm			UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MM BREAK ALL BURRS AND SHARP EDGES			TITLE 		
---	--	--	---	--	--	---	--	--


Product Family of Continuous Casting Process



UNCURBED TOLERANCES- ANGULAR X. ±0.20mm ±15' .0 ±0.10mm .00 ±0.05mm .000 ±0.02mm		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MM BREAK ALL BURRS AND SHARP EDGES		TITLE		DRAWING No.	
				CCP i4 Product Family		00059SD003	
UNCURBED SURFACE ROUGHNESS √		FIRST ANGLE PROJECTION		QUANTITY	WEIGHT	SCALE	ASSEMBLY No.
DRAWN		PROGRAM		-	-	1:1	-
CHECKN		STANDARD		ISSUE 1.81 REC.DOC			
AUDIT		APPROVED		SHEET 1 of 1 A2			

Product Family of Cold Rolling Process

- Gauge Head
- Display
- Power
- Protection
- Cooling
- Alarm & Report



cable upon customer requirement			
	LENGTH	PART NUMBER	DESCRIPTION
CABLE	10m	00053CF001	BT42HD_010m Cable
	20m	00053CF002	BT42HD_020m Cable
	40m	00053CF003	BT42HD_040m Cable
	60m	00053CF004	BT42HD_060m Cable

UNCURBED TOLERANCES: ANGULAR X. ±0.20mm ±15' .0 ±0.10mm .00 ±0.05mm .000 ±0.02mm		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MM BREAK ALL BURRS AND SHARP EDGES		TITLE		DRAWING No.	
				CRP i4 Product Family		00059SD004	
UNCURBED SURFACE ROUGHNESS FIRST ANGLE PROJECTION		PROGRAM		QUANTITY	WEIGHT	SCALE	ASSEMBLY No.
DRAWN		STANDARD		-	-	1:1	-
CHECKN		APPROVED		Proton Products International		ISSUE	1.51
AUDIT						REC.DOC	
						SHEET	1 OF 1
						A2	